RECEIVED **CENTRAL FAX CENTER**

NOY, 1, 6, 2007,

Under the Paperwork Reduction Act of 1995	U.S. Pat no persons are required to respond to a collec-	Approved for use through 04/30/2003. OMB 0651-0031 em and Tridemerk Office; U.S. DEPARTMENT OF COMMERCE tion of information uniess it displays a velid OMB control number.
	Application Number	10/798,797
TRANSMITTAL	Filing Date	03/10/2004
FORM	First Named Inventor	CHAVEZ, ALBERT MAX
(to be used for all correspondence after initial	Art Unit	3662
	Examiner Name	Lobo, lan J.
Total Number of Pages in This Submission	9 Attorney Docket Number	415.100
ENCLOSURES (Check all that apply)		
Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Document(s) Response to Missing Parts/ Incomplete Application Response to Missing Parts under 37 CFR 1.52 or 1.53	Drawing(s) Licensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Add Terminal Disclaimer Request for Refund CD, Number of CD(s) Remarks Response to Missing Parts/Non-Complia S8-21 Transmittal form = 1 page	Other Enclosure(s) (please identify below):
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT		
Firm Michael A. Shippey or Individual Signature	Shinper	TI, OTTOGET
Date 11/16/2007		
CERTIFICATE OF TRANSMISSION/MAILING		
	simile transmitted to the USPTO or deposited	with the I leited String Double Cas in with a distance
Typed or printed Michael A. Ship	pey A 1 A A	
Signature Mich	20 A Stunney	Date 11/16/2007
This collection of information is required by 37 CFR		tain a benefit by the public which is to file (and by the USPTO to

rosection of imbimation is required by 37 CFR 1.5. The information is required to potation for retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

RECEIVED CENTRAL FAX CENTER

MICHAEL SHIPPEY, Ph.D TECHNICAL CONSULTANT & PATENT AGENT

NOV 16 2007

Law Offices of

KARLA SHIPPEY

4848 Lakeview Avenue, Suite E Yorba Linda, CA 92886-3452

Toll Free: (800) 693-9110 Telephone: (714) 693-9110 Facsimile: (714) 693-7980

Email: MSHIPPEY@LAWWORDS.COM

PATENTS * TRADEMARKS * COPYRIGHTS
WILLS * TRUSTS * ESTATE PLANNING
CONTRACTS * BUSINESS TRANSACTIONS

Filed by RightFax on 11/16/2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Utility Patent Applications: Mr. Max Chavez, et. al.

Application No: 10/798,797

Art Unit 3662

Filed: March 10, 2004

In Re: Office Action from Examiner Ian Lobo dated July 25, 2007, and Notice of Non-

Complaint Amendment dated November 7, 2007.

CORRECTED REPLY AND AMENDMENT

Commissioner for Patents

November 16, 2007

P.O. Box 1450

Alexandria, VA 22313-1450

20 Dear Sir:

In compliance with the above-mentioned office actions, please amend the above-identified application as indicated in the response filed on October 25, 2007, as corrected in the Claims section in the current response.

25

30

5

10

15

This is a corrected response to the original reply and amendment filed October 25, 2007.

Several claims were inadvertently deleted from the original response. All clams are now reproduced in the current response, including withdrawn claims (non-elected after an earlier restriction). The reply and amendment from the earlier response, including replacement drawings, are incorporated by reference in the current response. They are not reproduced here, excepting the claims, in accordance with 37 C.F.R. 1.121.